



VIROLOGY

Complement Fixation Test(CFT)

Sawa University

جامعة ساوة الاهلية

College of health and medical techniques

كلية التقنيات الصحية والطبية

Department of Medical Laboratories

قسم تقنيات المختبرات الطبية

. Three :Stage

المرحلة الثالثة

...محاضرة رقم 7..

الجانب العملي

Lecture No.7 ..

Practical

تدريسي المادة : م. د. سيف علي

Complement Fixation Test

The complement fixation test is an immunological medical test that can be used to detect the presence of either specific antibody or specific antigen in a patient's serum.

It was widely used to diagnose infections, particularly with microbes that are not easily detected by culture methods, and in rheumatic diseases. However, in clinical diagnostics labs it has been largely replaced by other serological methods such as ELISA and by DNA-based methods of pathogen detection, particularly PCR.

CFT meet the following criteria

- 1- it is convenient and rapid to perform
- 2- the demand on equipment and reagents is small
- 3- a large variety of test antigens are readily available.

Complement in immunology is a system of blood proteins that enhances the ability of antibodies and phagocytic cells to fight pathogens. It is part of the innate immune system and helps by lysing cells, opsonizing pathogens, and triggering inflammation. The system is activated through three pathways, triggered by the binding of antibodies to a pathogen, that converge to produce effector molecules that destroy pathogens and clear damaged cells.

Complement, a protein constituent of normal blood serum, is consumed (fixed) during the interaction of antigens and antibodies. The phenomenon forms the basis for the complement fixation test, which is sensitive test that can be used to detect and quantitate antigens and antibodies.

CFT consists of two steps:

The primary reacting ingredients are known antigen, antiserum, and guinea pigs complement.


1. Complement Fixation Step: In the first step a known antigen and inactivated patient's serum (serum which is heated to 56 °C to inactive native complement) are incubated with a standardized, limited amount of complement.

If the serum contains specific, complement activating antibody the complement will be activated or fixed by the antigen-antibody complex. However, if there is no antibody in the patient's serum, there will be no formation of antigen-antibody complex, and therefore complement will not be fixed. But will remain free. This initial reaction, however, cannot be seen.

2. Indicator Stage: In a second step, an indicator system(hemolysin) consisting of sheep red blood cell (SRBC) plus antibody specific for SRBC, is added to test for the presence of free complement. Interpretation of the test is based on the presence of hemolysis.

1. If all the complement has been fixed, none will be free to lyse the SRBCs, which constitutes a positive complement fixation test.
2. If no antibody is present in the patient's serum, then the complement is not fixed and is free to interact in the indicator system and lyse the SRBCs, which constitutes a negative complement fixation test.

3. Properly conducted complement fixation tests require the incorporation of appropriate controls to ensure that the results are not adversely affected by the presence of anticomplementary ingredients. The antigen or the serum itself may have anticomplementary properties (e.g., denatured or aggregated immunoglobulin, heparin, chelating agents, microbial contaminants), may fix all the complement in the system, or may remove calcium or magnesium ions (both of which are essential for complement-mediated lysis).



(a) Positive test. All available complement is fixed by the antigen-antibody reaction; no hemolysis occurs, so the test is positive for the presence of antibodies.

(b) Negative test. No antigen-antibody reaction occurs. The complement remains, and the red blood cells are lysed in the indicator stage, so the test is negative.

Copyright © 2010 Pearson Education, Inc.



Advantages of CFT:-

1. Ability to screen against a large number of viral and bacterial infections at the same time.
2. Economical.

Disadvantages of CFT:-


1. Not sensitive - cannot be used for immunity screening
2. Time consuming and labor intensive
3. Often non-specific e.g. crossreactivity

Complement Fixation Test



Quiz...

The results of CFT shown in a microtitration plate where the test is done, Identify the positive and negative results in this picture???



AC

Any questions?

*Thank
You*